

L Number	Hits	Search Text	DB	Time stamp
1	4428	707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.	USPAT; US-PGPUB	2004/06/17 18:31
2	208	(707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)	USPAT; US-PGPUB	2004/06/17 18:32
3	38	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)) and counts!	USPAT; US-PGPUB	2004/06/17 18:32
4	1	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)) and counts!) and (previous\$2 with retrieved)	USPAT; US-PGPUB	2004/06/17 18:34
5	11	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)) and counts!) and (probabilit\$3)	USPAT; US-PGPUB	2004/06/17 18:34
6	0	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)) and counts!) and (probabilit\$3) and (percentage with firing)	USPAT; US-PGPUB	2004/06/17 18:35
7	4	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)) and counts!) and (probabilit\$3) and (percentage\$1)	USPAT; US-PGPUB	2004/06/17 18:35
8	0	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search\$3 with rules!)) and counts!) and (probabilit\$3) and (percentage\$1) and (percentage\$1 with matches!)	USPAT; US-PGPUB	2004/06/17 18:36
-	66	"search rules"	USPAT; US-PGPUB	2004/06/17 18:30
-	34926	"search rules" rank\$3	USPAT; US-PGPUB	2002/11/26 19:39
-	13	"search rules" and rank\$3	USPAT; US-PGPUB	2003/02/04 19:39
-	4	("search rules" and rank\$3) and (rule\$1 with analyz\$3)	USPAT; US-PGPUB	2002/11/26 19:40
-	51	"exact-match"	USPAT; US-PGPUB	2002/11/26 19:48
-	7	"exact-match" and "user input"	USPAT; US-PGPUB	2002/11/26 19:52
-	13757	search\$3 near4 (database or "data base")	USPAT; US-PGPUB	2002/11/26 19:53
-	575	(search\$3 near4 (database or "data base")) and (identify\$3 near4 record)	USPAT; US-PGPUB	2002/11/26 19:54
-	215	((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1	USPAT; US-PGPUB	2002/11/26 19:54
-	112	((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1 and (retriev\$3 near4 record\$1)	USPAT; US-PGPUB	2002/11/26 19:55
-	79	((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1 and (retriev\$3 near4 record\$1) and user near4 (select\$3 or feedback or input)	USPAT; US-PGPUB	2002/11/26 19:57
-	151	((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1 and (retriev\$3 near4 record\$1) and user near4 (select\$3 or feedback or input) (rule\$1 with "descending order")	USPAT; US-PGPUB	2002/11/26 19:58
-	0	((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1 and (retriev\$3 near4 record\$1) and user near4 (select\$3 or feedback or input) and (rule\$1 with "descending order")	USPAT; US-PGPUB	2002/11/26 19:58

-	8	(((((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1) and (retriev\$3 near4 record\$1)) and user near4 (select\$3 or feedback or input)) and (rule\$1 with order)	USPAT; US-PGPUB	2002/11/26 19:58
-	1	5832477.pn.	USPAT; US-PGPUB	2003/02/04 19:36
-	1	5204939.pn.	USPAT; US-PGPUB	2003/02/05 19:10
-	2124	(search or retriev\$3) with rules	USPAT; US-PGPUB	2003/02/04 19:40
-	2078	((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3)	USPAT; US-PGPUB	2003/02/04 19:42
-	608	((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3)) and statistic\$2	USPAT; US-PGPUB	2003/02/04 19:42
-	3	(((((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3)) and statistic\$2) and ((adjust or re adjl arrang\$3) with (order\$3 or sequence\$1 or priorit\$3 or rank\$3)) with (rule\$1 or query or queries))	USPAT; US-PGPUB	2003/02/04 19:51
-	20	(((((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3)) and statistic\$2) and ((adjust or re adjl arrang\$3) with (order\$3 or sequence\$1 or priorit\$3 or rank\$3))	USPAT; US-PGPUB	2003/02/04 19:53
-	9	(((((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3)) and statistic\$2) and ((adjust or re adjl arrang\$3) with (sequence\$1 or priorit\$3 or rank\$3))	USPAT; US-PGPUB	2003/02/04 19:53
-	4	sequential adjl subset adjl catalog	USPAT; US-PGPUB; EPO	2003/02/04 20:36
-	1	5204939.pn.	USPAT; US-PGPUB	2003/02/05 19:10
-	1	5204939.pn. and (execut\$3 with (sequence or order))	USPAT; US-PGPUB	2003/02/05 19:16
-	1	5204939.pn. and (execut\$3 with (chang\$3 with sequence))	USPAT; US-PGPUB	2003/02/05 19:22
-	1580	rules with search\$3	USPAT; US-PGPUB	2003/02/05 19:22
-	289	(rules with search\$3) and ((retriev\$3 or identif\$4) with record\$1)	USPAT; US-PGPUB	2003/02/05 19:24
-	206	rules! with ((retriev\$3 or identif\$4) with record\$1)	USPAT; US-PGPUB	2003/02/05 19:24
-	46	(rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!)	USPAT; US-PGPUB	2003/02/05 19:25
-	14	((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!)) and rank\$3	USPAT; US-PGPUB	2003/02/05 19:26
-	0	((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!)) and (rank\$3 with rules)	USPAT; US-PGPUB	2003/02/05 19:26
-	6	(rules! with ((retriev\$3 or identif\$4) with record\$1)) and (rank\$3 with rules)	USPAT; US-PGPUB	2003/02/05 19:51
-	1	5899991.pn.	USPAT; US-PGPUB	2003/02/05 19:51
-	0	5899991.pn. and (execut\$3 with (rank\$3 near2 order))	USPAT; US-PGPUB	2003/02/05 19:52
-	1	(rank\$3 with rules!) with (based near3 statistic\$2)	USPAT; US-PGPUB	2003/02/05 20:33

-	0	((rank\$3 with rules!) with (based near3 statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3)	USPAT; US-PGPUB	2003/02/05 20:28
-	7	(collect or gather) with (statistic\$2 with rule\$1)	USPAT; US-PGPUB	2003/02/05 20:37
-	4	((collect or gather) with (statistic\$2 with rule\$1)) and search\$3	USPAT; US-PGPUB	2003/02/05 20:36
-	4	((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 and record\$1	USPAT; US-PGPUB	2003/02/05 20:36
-	4	((collect or gather) with (statistic\$2 with rule\$1)) and (performance with rule\$1)	USPAT; US-PGPUB	2003/02/06 21:25
-	0	((collect or gather) with (statistic\$2 with rule\$1)) and (performance with (search with rule\$1))	USPAT; US-PGPUB	2003/02/05 20:49
-	0	sear adj1 rule\$1	USPAT; US-PGPUB	2003/02/06 18:40
-	128	search adj1 rule\$1	USPAT; US-PGPUB	2003/02/07 12:12
-	0	(search adj1 rule\$1) and (target adj1 record\$1)	USPAT; US-PGPUB	2003/02/06 18:42
-	29	(search adj1 rule\$1) and ((retriev\$3 or identif\$4) with record\$1)	USPAT; US-PGPUB	2003/02/06 19:10
-	0	(search adj1 rules) with (match\$3 with records!)	USPAT; US-PGPUB	2003/02/06 19:11
-	37	(rules) with (match\$3 with records!)	USPAT; US-PGPUB	2003/02/06 19:11
-	1	5204939.pn.	USPAT; US-PGPUB	2003/02/06 20:57
-	1	5204939.pn. and (change\$3 with sequence)	USPAT; US-PGPUB	2003/02/06 21:00
-	1	5204939.pn. and (evaluat\$3)	USPAT; US-PGPUB	2003/02/06 21:01
-	128	search adj1 rule\$1	USPAT; US-PGPUB	2003/02/07 12:13
-	37	(search adj1 rule\$1) and statistic\$2	USPAT; US-PGPUB	2003/02/07 12:14
-	9	((search adj1 rule\$1) and statistic\$2) and (number with execut\$3)	USPAT; US-PGPUB	2003/02/07 12:21
-	1	5204939.pn.	USPAT; US-PGPUB	2003/02/07 12:21
-	1	6182070.pn.	USPAT; US-PGPUB	2003/02/07 12:22
-	3	6324534.pn. or 5204939.pn. or 6182070.pn.	USPAT; US-PGPUB	2003/02/07 12:22
-	2	(6324534.pn. or 5204939.pn. or 6182070.pn.) and ((number or times!) with rule\$1) with (execut\$3 or fir\$3 or run\$1 or running))	USPAT; US-PGPUB	2003/02/07 12:24
-	1	6324534.pn.	USPAT; US-PGPUB	2003/02/07 13:34
-	1	20020087518.PN.	USPAT; US-PGPUB	2003/06/12 11:19
-	0	98213087.ap.	USPAT; US-PGPUB	2003/06/10 16:29
-	0	98213087.apn.	USPAT; US-PGPUB	2003/06/10 16:30
-	0	selects adj executable adj procedures	USPAT; US-PGPUB	2003/06/10 16:30
-	38	selects adj executable	USPAT; US-PGPUB	2003/06/10 16:30
-	0	(selects adj executable) and (generated adj statistical)	USPAT; US-PGPUB	2003/06/10 16:33
-	1	802489.pn.	USPAT; US-PGPUB; EPO	2003/06/10 16:35
-	2	200142880.pn.	USPAT; US-PGPUB; EPO; DERWENT	2003/06/10 16:37

-	3	9739412.pn.	USPAT; US-PGPUB; EPO; DERWENT	2003/06/10 16:37
-	1	20020087518.PN.	USPAT; US-PGPUB	2003/06/12 11:19
-	2	20020087518.PN.	USPAT; US-PGPUB; DERWENT	2003/06/12 11:28
-	2	6360214.PN.	USPAT; US-PGPUB; DERWENT	2003/06/12 11:28
-	1	6366901.pn.	USPAT; US-PGPUB	2003/06/16 19:36
-	1	6366901.pn.	USPAT; US-PGPUB	2003/06/16 19:36
-	1	6366901.pn. and (importan\$2 or probabilit\$3 or rank\$4 or rate\$1 or rating\$1 or value\$1 or weigh\$3)	USPAT; US-PGPUB	2003/06/16 19:40
-	5191	707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.	USPAT; US-PGPUB	2003/06/16 19:41
-	0	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and statistic\$2	USPAT; US-PGPUB	2003/06/16 19:42
-	1369	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and statistic\$2	USPAT; US-PGPUB	2003/06/16 19:42
-	57	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and (statistic\$2 with rule\$1)	USPAT; US-PGPUB	2003/06/16 19:42
-	5	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic\$2 with rule\$1) with search\$3)	USPAT; US-PGPUB	2003/06/16 19:43
-	0	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic\$2 with rule\$1) with search\$3)) and (performance with statistic\$2)	USPAT; US-PGPUB	2003/06/16 19:43
-	4	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic\$2 with rule\$1) with search\$3)) and performance	USPAT; US-PGPUB	2003/06/16 19:53
-	0	statistic\$2 with (search adj rule\$1)	USPAT; US-PGPUB	2003/06/16 19:53
-	3	performance with (search adj rule\$1)	USPAT; US-PGPUB	2003/06/16 19:54
-	29	performance with (execution adj plan\$1)	USPAT; US-PGPUB	2003/06/16 19:55
-	1	((performance with (execution adj plan\$1)) and statistic\$2) and rank\$3	USPAT; US-PGPUB	2003/06/16 19:55
-	17	(performance with (execution adj plan\$1)) and statistic\$2	USPAT; US-PGPUB	2003/06/16 20:21
-	1	rank\$3 with (search adj rule\$1)	USPAT; US-PGPUB	2003/06/16 20:21
-	0	statistic\$2 with (previous\$2 adj2 retrieved)	USPAT; US-PGPUB	2003/06/23 15:42
-	1982	genetic adj (algorithm\$1 or program\$4)	USPAT; US-PGPUB	2003/06/23 15:43
-	1340	(genetic adj (algorithm\$1 or program\$4)) and search\$3	USPAT; US-PGPUB	2003/06/23 15:44
-	777	((genetic adj (algorithm\$1 or program\$4)) and search\$3) and rule\$1	USPAT; US-PGPUB	2003/06/23 15:44
-	5	((genetic adj (algorithm\$1 or program\$4)) and search\$3) and rule\$1) and ((adjust\$3 or updat\$3) near4 rank\$3)	USPAT; US-PGPUB	2003/06/23 15:45
-	10027	test with effectiveness	USPAT; US-PGPUB; EPO	2003/10/21 00:59
-	4	(test with effectiveness) and retrieval adj method	USPAT; US-PGPUB; EPO	2003/10/21 01:00

-	4	(test with effectiveness) and (retrieval adj method)	USPAT; US-PGPUB; EPO	2003/10/21 01:05
-	0	evaluating adj information adj retrieving	USPAT; US-PGPUB	2003/10/21 01:08
-	1	evaluating adj information adj retrieving	USPAT; US-PGPUB; EPO; JPO	2003/10/21 01:08
-	183	search adj rule\$1	USPAT; US-PGPUB	2003/11/17 22:57
-	99391	(search adj rule\$1) statistic\$2	USPAT; US-PGPUB	2003/11/17 22:54
-	60	(search adj rule\$1) and statistic\$2	USPAT; US-PGPUB	2003/11/17 22:55
-	2	((search adj rule\$1) and statistic\$2) and (rule with number with executed)	USPAT; US-PGPUB	2003/11/17 22:55
-	114	"search rules"	USPAT; US-PGPUB	2003/11/17 22:58
-	69	"search rules" and (times)	USPAT; US-PGPUB	2003/11/17 22:59
-	3	("search rules" and (efficiency with search\$3)) and (times)	USPAT; US-PGPUB	2003/11/17 23:03
-	1	4752890.pn.	USPAT; US-PGPUB	2003/11/17 23:03
-	1	4752890.pn. and instance\$1	USPAT; US-PGPUB	2003/11/17 23:04
-	4	"search rules" and (efficiency with search\$3)	USPAT; US-PGPUB	2003/11/17 23:06
-	2468	efficiency with search\$3	USPAT; US-PGPUB	2003/11/17 23:07
-	396	(efficiency with search\$3) and (search adj (rule\$1 or technique\$1 or strateg\$3 or quer\$3))	USPAT; US-PGPUB	2003/11/17 23:08
-	3	((efficiency with search\$3) and (search adj (rule\$1 or technique\$1 or strateg\$3 or quer\$3))) and (((time\$1 or instance\$1) adj (rule\$1 or quer\$1)) with (execut\$3 or fired or firing or fire))	USPAT; US-PGPUB	2003/11/17 23:16
-	222	((((time\$1 or instance\$1) adj (rule\$1 or quer\$1)) with (execut\$3 or fired or firing or fire))	USPAT; US-PGPUB	2003/11/17 23:16
-	79	(((((time\$1 or instance\$1) adj (rule\$1 or quer\$1)) with (execut\$3 or fired or firing or fire))) and statistic\$2	USPAT; US-PGPUB	2003/11/17 23:17
-	3	(((((time\$1 or instance\$1) adj (rule\$1 or quer\$1)) with (execut\$3 or fired or firing or fire))) and ((efficiency with search\$3) and (search adj (rule\$1 or technique\$1 or strateg\$3 or quer\$3)))	USPAT; US-PGPUB	2003/11/17 23:17
-	1	(((((time\$1 or instance\$1) adj (rule\$1 or quer\$1)) with (execut\$3 or fired or firing or fire))) and statistic\$2) and (statistic\$2 with "search rules")	USPAT; US-PGPUB	2003/11/17 23:18
-	1	4752890.pn. and (search\$3 and time)	USPAT; US-PGPUB	2003/11/18 01:39
-	1	4752890.pn.	USPAT; US-PGPUB	2003/11/18 01:39
-	0	4752890.pn. and percent	USPAT; US-PGPUB	2003/11/18 01:51
-	5	percent\$3 with (actual adj2 match\$3)	USPAT; US-PGPUB	2003/11/18 01:54
-	5	percent\$3 with (actual adj2 match\$3)	USPAT; US-PGPUB	2003/11/18 02:00
-	5	percent\$3 with (actual adj2 match\$3)	USPAT; US-PGPUB	2003/11/18 02:00
-	203	search adj rule\$1	USPAT; US-PGPUB	2004/03/15 22:57
-	117	(search adj rule\$1) and retriev\$3	USPAT; US-PGPUB	2004/03/15 22:58
-	88	((search adj rule\$1) and retriev\$3) and match\$2	USPAT; US-PGPUB	2004/03/15 22:58

-	30	(((search adj rule\$1) and retriev\$3) and match\$2) and count\$1	USPAT; US-PGPUB	2004/03/15 22:59
---	----	--	--------------------	------------------